



Advantage PressurePro, LLC
205 W Wall Street, Harrisonville, MO 64701

For ordering/assistance, please contact your dealer.
To activate your warranty, visit www.pressurepro.us
and select the "Register Your Product" quick link.

WARNING



This product contains chemicals, including Carbon Black, known to the State of California to cause cancer and birth defects/other reproductive harm. For more info, visit www.P65Warnings.ca.gov.




FC CE RoHS



Connect with us @PressureProTPMS



PULSE FX FLEET QUICK START GUIDE



Welcome

Thank you for choosing PressurePro

The Originals in TPMS, PressurePro has pioneered the innovation and advancement of Tire Performance Management technology since 1991. Maintaining our family owned business roots and ideals, we remain driven to add safety and savings to every road - or off-road - you travel, by providing the world's most reliable, accurate and advanced Tire Performance Management Solutions.

'Meet' our team and learn more about our comprehensive line of American Built solutions, at www.pressurepro.us.

What's Included



Pulse FX



Fixed End
Power Cord



Dipole
Antenna

or



Sensors



Mounting Pads
(hook-&-loop)



Coax Cable

Get 'Connected' with **PressurePro** connect

First things first. Before installing your FX hardware, or configuring your set-up using the Fleet TPMS app, you'll need access to your account within PressurePro's Connect platform (<https://connect.pressurepro.us>). For access:

1. Your fleet will have need to have been created as an entity by their PressurePro representative. (Good news, by the time you have received your FX, this *should* already be completed.)
2. You (or your fleet's controller) will need to add your FX device serial number to your account/terminal.
3. You will need to be added as a user to the account. *Note, drivers do not have installation/editing rights. Contact your fleet's PressurePro administrator for assistance.

For detailed information on Connect, and how to perform each of these steps, please contact your fleet's PressurePro rep.



4

Fill 'em up.

Make sure your tires are filled to their optimal pressures! (PressurePro recommends installing in the morning/evening, or while tires are at 'cold' pressure levels.)

Get the app.



Download the PressurePro app for your smart device by searching for 'Fleet TPMS' in your app store.



Note: If you've previously downloaded the PressurePro Fleet TPMS app, please visit your App/Play Store, to check for - and install - any updates, to ensure best performance.

6

'Not so hard'ware.

1. Select your preferred FX mounting location.

Select where you'd like to place your FX, but don't adhere it quite yet. Keep in mind that your FX provides visual alerts even if your Smart device is out of range, so we recommend a discreet, but visual location where you can easily route cabling.

2. Give it power.

Your FX kit includes a fixed end power cable. Plug the 6 pin end directly to your FX and the accessory end to a 12v source.

3. Add some reception.

Use the included (separate) antenna installation instructions to choose your ideal mounting location. Once chosen, attach the SMA end to your FX and route (and hide) cable as needed.

Now, go ahead and use your adhesive pads to mount your FX.

5

Get with the 'Program'!

It's time to program your FX! Before you begin, a (very important) tip. Make sure to take a moment to **read all 'Tire Wizard' notes as they appear. They will guide you through programming.**



Open your PressurePro app and log in (using the same email/password you used to log into Connect).



Once logged in, you will be prompted to enter your User Information. When completed, click Connect Device



Select your FX from the list of available devices and pair.



Create your vehicle layout, by swiping axles off/on to match your set-up.

7

(programming continued)



Once your unit outline populates, select the tire location you wish to install first. Once selected, go to tire, attach Sensor to valve stem and wait for a reading to populate. Repeat for all locations. **Do not select 'save' until all Sensors are installed.**

Important: Your smart device needs to stay within Bluetooth range while programming Sensors. We recommend leaving your device in-cab during installation.



Set your reference pressures. (Hint: For your convenience, we not only allow you to set reference pressures by vehicle or by axle, but we'll also automatically suggest a pressure based on the average pressure in your tires.)



Your unit is programmed! You can now view your programmed unit or begin programming another.

8

FAQ

Can I perform a factory reset? Yes. You can perform either a vehicle factory reset, or a complete FX factory reset. Go to your Settings Menu and select your vehicle/unit, or 'FX Settings', based on what you want to reset. Select 'Factory Reset' and follow the prompts to complete reset. Hint: If performing a complete factory reset, a tactile button press will be required for confirmation.

How many devices can I pair to my FX? While you can pair your FX to as many devices as you'd like to use for monitoring your equipment, only one device can be actively paired at a time.

Will uninstalling my app, or getting a new phone, delete my settings? No. Your settings will remain safely stored in your FX.

How many units can I monitor with my FX? Your FX allows you to program and store up to 5 different units for easy monitoring of multiple vehicles. Used in a field (parked) setting, your FX also offers unlimited drop and hook monitoring.


Why, after un-powering my FX, do my pressures not show? If your FX loses power, it can take up to 5 minutes for your Sensors to refresh and report readings. We recommend powering your FX with a continuously powered 12v outlet, or hardwiring.

10


Now what?

Congratulations, you're all installed! Here's a few more things you can do to ensure ease of use and top performance!




Name your vehicle/units: Tap the settings menu , choose the vehicle you'd like to name, select 'Vehicle Info' and name your unit.



Name your FX: Tap the settings menu , choose 'FX Settings'. Select 'Pulse_FX' and type in desired name. (PressurePro suggests naming the FX the same name as the Vehicle.)



Customize your alerts: Tap the settings menu , choose the vehicle you'd like to edit and select 'Alerts' to customize your comprehensive alert schedule.

9


Button and LED Guide

Solid blue Bluetooth LED
FX is powered and paired.

Blinking blue Bluetooth LED
FX is powered but not paired.
Open app and pair device.

Red (slow blink)
Alert status. Open app for full alert information and correct as soon as possible.

Red (fast blink)
Critical alert status. Open app for full alert information and correct immediately.



11